

SOP 4.4 FEED SEQUENCING, MIXING AND DISTRIBUTION

| This standard operating procedure (SOP) may be used as a ter If you develop your own version, all required elements must be | | PID#: |
|--|-------------------|-------|
| Site manager: | Person in charge: | |

FEED SEQUENCING AND MIXING PROTOCOL

| | Designated personnel must follow the protocol below every time feed is sequenced and mixed on-farm: | Applied On-Farm | Importance |
|---|--|--------------------|-----------------------|
| 1 | The site manager must ensure the personnel in charge of this protocol are adequately trained. | | |
| 2 | Ensure dosage is accurate according to the manufacturer's instructions and/or the veterinarian's prescription, as applicable. a. What methods do you use to make sure the dosage used in the ration is adequate? (See guidance in Section 4.4 for example.) | | |
| 3 | Calibrate on-farm feed manufacturing equipment once a year and record your calibration on a Calibration Record (R-X): a. Describe the method used to calibrate the feed mill: AND Conduct performance testing on a feed sample every three years and record the result on a Calibration Record (R-X). | | Mandatory |
| 4 | Maintain the Feed Sequencing, Mixing and Distribution Record (R-S): a. Record each batch mixed, including feed manufactured for other species. b. Record which batch is considered a flush. c. Describe sequencing method(s) used: | | |
| 5 | Visually inspect processing equipment and processed feed on a regular basis (to ensure ration uniformity). | | |
| 6 | Other good production practices: | | Highly recommended |

FEED DISTRIBUTION PROTOCOL

| | Designated personnel must follow this protocol each time feed is distributed on-farm: | Applied On-Farm | Importance |
|---|---|--------------------|--------------------|
| 1 | The site manager must ensure the personnel in charge of this protocol are adequately trained. | | |
| 2 | Describe how you ensure feed bins containing medicated feed that require a withdrawal time are emptied prior to filling the bin with feed for pigs going to slaughter (the start of a slaughter withdrawal period): | | Mandatory |
| 3 | Describe how you ensure feed is distributed to the targeted pigs: | | |
| 4 | Other good production practices: | | Highly recommended |

DEVIATION MEASURES

| | What happens if something goes wrong? If an error occurs, designated personnel must take following corrective actions. | | Importance |
|---|--|--|------------|
| 1 | If necessary, identify and keep the pigs segregated on-site until the withdrawal period is complete. | | |
| 2 | Notify concerned individuals (such as marketing agencies, slaughterhouses [per their requirements], the site manager, other purchasers) and consult with your veterinarian to determine the appropriate withdrawal period. | | Mandatory |
| 3 | Remove the contaminated feed, if necessary. | | |
| 4 | Flush the feed system, if necessary. | | |

| | What happens if something goes wrong? If an error occurs, designated personnel must take following corrective actions. | Applied On-Farm | Importance |
|------|--|--------------------|-----------------------|
| 5 | Identify the nature of the deviation, for example: a. The medication deviated from the manufacture's label or prescription dosage (critical limits). b. The feed was delivered to the wrong group of pigs. | | Mandatory |
| 6 | Record the deviation on an Incident Report (R-2) and record when adequate corrective actions were implemented. | | |
| 7 | Other good production practices: | | Highly recommended |
| LEVE | ELS OF NON-COMPLIANCE FOR CRITICAL CONTROL POINT | | |
| | Minor: The corrective action must be completed within 60 days. | | |
| | Major: (prior to shipping pigs): The corrective action must be completed within 30 days. | | |
| | Critical: The corrective action must be completed within 24 hours. | | |

VERIFICATION MEASURES

| | Designated personnel must complete the following verification measures: Anyone who has completed PigSAFE training can be designated to complete the verification measures. | | Importance |
|---|--|--|------------|
| 1 | Verify the Ration Used On-Farm Record (R-R) at least once a year to ensure the documents have been duly signed and completed and that the medication inclusion rate(s) are accurate. | | |
| 2 | Verify the Feed Sequencing, Mixing and Distribution SOP is reviewed annually or each time management changes occur and/or equipment is modified. | | Mandatory |
| 3 | Observe the person in charge of the SOP to ensure that the methods followed comply with the written SOP. | | |
| 4 | Complete, sign and date the Verification Record (R-1) once a year. | | |

RECORDS

| Name of Record | | Importance |
|----------------|--|--------------------|
| R-B | Training Record | |
| R-R | Rations Used On-Farm Record | |
| R-S | Feed Sequencing, Mixing and/or Distribution Record | |
| R-X | Calibration Record - On-Farm Feed Mill | |
| R-1 | Verification Record | Mandatory |
| R-2 | Incident Report (if applicable) | |
| R-3 | Corrective Action Request (if applicable) | |
| | Veterinary prescription (if applicable) | |
| R-U | Emergency Contact List | Highly recommended |